



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5220464
Dated/दिनांक : 29-07-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-08-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-08-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Expenditure
Organisation Name/संगठन का नाम	Controller General Of Accounts (cga)
Office Name/कार्यालय का नाम	Public Financial Management System
Total Quantity/कुल मात्रा	90
Item Category/मद केटेगरी	High end Office Table / Desk Furniture Set / Suit (Q3) , Revolving Chair (V4) (Q2) , Office Chair (V3) (Q2) , Sofas (V2) (Q3) , Executive Table (V2) (Q3) , Modular Table (Q3) , Modular Extendable Conference Table (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	8 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	8 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	30 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
ITC available to buyer/क्रिता के लिए उपलब्ध आईटीसी	Yes
RCM Applicable/लागू आरसीएम	Yes
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	High end Office Table / Desk Furniture Set / Suit
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	5 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

--

MII Purchase Preference/एमआईआई खरीद वरीयता
--

Yes

Reserved for MSE

Reserved for MSE

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 6.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Section 9(3) Of GST/जीएसटी की धारा 9(3)|

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

High End Office Table / Desk Furniture Set / Suit (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Warranty periods	5 - Years
MAIN TABLE	Design / Shape	Rectangular
	Under structure of main table	Gable end modesty panel
	Table top material	2 MDF batons with natural veneer
	Gable end material	2 MDF batons with natural veneer
	Modesty panel material	2 MDF batons with natural veneer
	Leg material	MDF and venner with PU coating
	Number of buffer provided	Six numbers at bottom
	Length of table top ± 20 mm	2400 mm
	Depth of table top ± 10 mm	1080 mm
	Height of table top ± 10 mm	750 mm
	Dimension of leg ± 2 mm	NA
	Thickness of table top ± 2 mm	40 mm
	Thickness of gable end ± 2 mm	36 mm
	Thickness of modesty panel ± 1 mm	36 mm
	Material of keyboard tray and right angle L-Type supporting bracket	N.A
Finish of exposed edges of keyboard tray	N.A	
EXTENDED RETURN UNIT	Number of storage unit	2 numbers
	Storage with shutter	N.A
	Number of drawers	N.A
	Size of small drawers ± 5 mm	N.A
	Size of medium drawers ± 5 mm	N.A
	Number of lockable castors at bottom	N.A
	Size of lockable castors ± 2 mm	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Provision of storage lock system	N.A
	Material of top	2 MDF batons with natural veneer
	Material of modesty panel	2 MDF batons with natural veneer
	Material of side panel	2 MDF batons with natural veneer
	Thickness of top panel \pm 2 mm	40 mm
	Thickness of other panel \pm 2 mm	25 mm
	Thickness of drawer base \pm 1 mm	18 mm
	Width of unit \pm 20 mm	1800 mm
	Depth of unit \pm 5 mm	440 mm
	Height of unit \pm 5 mm	690 mm
	Overall height of storage unit \pm 5 mm	750 mm
PEDESTAL STORAGE UNIT	Type of unit	N.A
	Size of drawers \pm 2 mm	N.A
	Each drawers fixed with	N.A
	Provision of lock system	N.A
	Material of top panel	N.A
	Material of other panel	N.A
	Thickness of top panel \pm 1 mm	N.A
	Thickness of other panel \pm 1 mm	N.A
	Number of lockable castors at bottom pedestal storage unit	N.A
	Size of lockable castors for pedestal storage unit \pm 2 mm	N.A
	Width of pedestal unit \pm 5 mm	N.A
	Depth of pedestal unit \pm 5 mm	N.A
	Height of pedestal unit \pm 5 mm	N.A
WOODEN BOOK CASE	Total Number of shelf	N.A
	Top panel material	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Side panel material	N.A
	Shelf material	N.A
	Full Door panel material	N.A
	Upper door panel made up of	N.A
	Lower door panel made up of	N.A
	Thickness of top panel material ± 1 mm	N.A
	Thickness of side panel material ± 1 mm	N.A
	Thickness of shelf panel material ± 1 mm	N.A
	Thickness of door panel (full size) material ± 1 mm	N.A
	Thickness of upper door panel made up of ± 1 mm	N.A
	Thickness of lower panel made up of ± 1 mm	N.A
	Material for buffer	N.A
	Width of book case ± 10 mm	N.A
	Depth of book case ± 5 mm	N.A
	Height of book case ± 20 mm	N.A
	Size of medium shelf	N.A
CERTIFICATION	Product having BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	1	30

Revolving Chair (V4) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

*** As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार**

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Mild steel chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	3.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>30<=40

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>500
	Width of seat (mm)	>500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>500
	Backrest height from the seat level	>550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	1	30

Office Chair (V3) (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever
	Understructure material	ERW tube conforming to IS : 1161 latest
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	22 mm
	Understructure wall thickness (mm)	1.6
	Castor	No
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>30<=40
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450
	Depth of seat (mm)	>450
	Seat upholstery material	Leatherette
BACKREST	Backrest base frame material	Hot pressed plywood

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type	Moulded armrest continuously fitted with seat and back
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	4	30

Sofas (V2) (3 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	40
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	Any other wood of minimum 25 mm thickness
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	40
	Type of Spring in the Base / Seating	No Spring in the Base
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	1900
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	850

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Sofa Height (Without Back Cushion) ±5 (mm)	800.0 (millimeter)
	Sofa Height (With Back Cushion) ±5 mm	865.0 (millimeter)
	Seat Cushion Length ±5 (mm)	1520
	Seat Cushion Width ±5 (mm)	510
	Seat Cushion Thickness ±3 (mm)	200
	Backrest Cushion Length ±5 (mm)	1500
	Backrest Cushion Width ±5 (mm)	460
WARRANTY	Warranty	3 - Years

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Deepak Kumar Singh	110001,Public Financial Management System (PFMS), 3rd floor and 4th Floor, Shivaji Stadium Annexe, Connaught Place, New Delhi	3	30

Executive Table (V2) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side pedestal unit and E.R.U
	Keyboard tray	Provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	50 mm
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the gable end	36 mm
	Modesty panel material	Prelaminated MDF board (with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue)
	The thickness of the modesty panel material	36 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	2000 mm
	Depth of table ±10 mm	950 mm
	Height of table ±10 mm	760 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer, 1 storage unit with shutter
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Two drawers
COLOUR AND FINISH	Table top finish	Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Dark walnut

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	5 Years
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	2	30

High End Office Table / Desk Furniture Set / Suit (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Warranty periods	1 - Year
MAIN TABLE	Design / Shape	Rectangular

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Under structure of main table	Gable end modesty panel
	Table top material	MDF and venner with PU finish having scratch resistance of 2H
	Gable end material	Combination of MDF particle board and solid wood with top venner face coated with clear lacquer
	Modesty panel material	MDF and venner with PU finish having scratch resistance of 2H
	Leg material	MDF and venner with PU coating
	Number of buffer provided	Six numbers at bottom
	Length of table top \pm 20 mm	1800 mm
	Depth of table top \pm10 mm	900 mm
	Height of table top \pm 10 mm	750 mm
	Dimension of leg \pm 2 mm	NA
	Thickness of table top \pm 2 mm	40 mm
	Thickness of gable end \pm 2 mm	36 mm
	Thickness of modesty panel \pm 1 mm	36 mm
	Material of keyboard tray and right angle L-Type supporting bracket	N.A
	Finish of exposed edges of keyboard tray	N.A
EXTENDED RETURN UNIT	Number of storage unit	1 number
	Storage with shutter	4 numbers
	Number of drawers	1 number
	Size of small drawers \pm 5 mm	As per size of unit
	Size of medium drawers \pm 5 mm	N.A
	Number of lockable castors at bottom	4 numbers
	Size of lockable castors \pm 2 mm	Diameter 50 mm and height 60 mm
	Provision of storage lock system	Central locking system

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of top	MDF and venner with PU finish having scratch resistance of 2H
	Material of modesty panel	MDF and venner with PU finish having scratch resistance of 2H
	Material of side panel	MDF and venner with PU finish having scratch resistance of 2H
	Thickness of top panel \pm 2 mm	25 mm
	Thickness of other panel \pm 2 mm	25 mm
	Thickness of drawer base \pm 1 mm	10 mm
	Width of unit \pm 20 mm	2020 mm
	Depth of unit \pm 5 mm	440 mm
	Height of unit \pm 5 mm	650 mm
	Overall height of storage unit \pm 5 mm	650 mm
PEDESTAL STORAGE UNIT	Type of unit	Two drawers
	Size of drawers \pm 2 mm	As per size of unit
	Each drawers fixed with	On telescopic channel of 400 mm length with average weight of 0.6 Kg per set having average thickness of 1 mm steel member of channel
	Provision of lock system	Central locking system
	Material of top panel	MDF and venner with PU finish having scratch resistance of 2H
	Material of other panel	MDF and venner with PU finish having scratch resistance of 2H
	Thickness of top panel \pm 1 mm	19 mm
	Thickness of other panel \pm 1 mm	18 mm
	Number of lockable castors at bottom pedestal storage unit	4 numbers
	Size of lockable castors for pedestal storage unit \pm 2 mm	Diameter 50 mm and height 60 mm
	Width of pedestal unit \pm 5 mm	440 mm
	Depth of pedestal unit \pm 5 mm	400 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of pedestal unit \pm 5 mm	550 mm
WOODEN BOOK CASE	Total Number of shelf	N.A
	Top panel material	N.A
	Side panel material	N.A
	Shelf material	N.A
	Full Door panel material	N.A
	Upper door panel made up of	N.A
	Lower door panel made up of	N.A
	Thickness of top panel material \pm 1 mm	N.A
	Thickness of side panel material \pm 1 mm	N.A
	Thickness of shelf panel material \pm 1 mm	N.A
	Thickness of door panel (full size) material \pm 1 mm	N.A
	Thickness of upper door panel made up of \pm 1 mm	N.A
	Thickness of lower panel made up of \pm 1 mm	N.A
	Material for buffer	N.A
	Width of book case \pm 10 mm	N.A
	Depth of book case \pm 5 mm	N.A
	Height of book case \pm 20 mm	N.A
Size of medium shelf	N.A	
CERTIFICATION	Product having BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	2	30

Revolving Chair (V4) (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Glass filled nylon

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1.2 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>30<=40
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>500
	Width of seat (mm)	>500
	Depth of seat (mm)	>500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>500
	Backrest height from the seat level	>550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	4	30

Office Chair (V3) (20 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

*** As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार**

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	Chair understructure type	Legs
	Understructure material	ERW tube conforming to IS : 1161 latest
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	25 mm
	Understructure wall thickness (mm)	1.2
	Castor	No
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>30<=40
	Thickness of PU used in seat (mm)	>30<=40

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450
	Depth of seat (mm)	>450
	Seat upholstery material	Leatherette
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>450
	Backrest height from the seat level	>=350<=450
	Backrest upholstery material	Leatherette
ARMREST	Armrest type	Moulded armrest continuously fitted with seat and back
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/प्रेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	20	30

Modular Table (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Table Top material and thickness ±3mm	25mm thickness three layer pre-laminated Particle boards (Wood Product) of grade II Type II of IS 12823 Latest
	Gable end and modesty panel material and thickness	18 mm thickness three layers pre-laminated Particle boards (Wood Product) of grade II Type III of IS 12823 Latest
GENERIC	Mode of Supply of modular table	Knocked Down to be assembled at consignee site by the Seller
	Storage Provided	both side
	Number of storage unit	double storage
DIMENSION	Length of Table Top ±10(mm)	1500.0 (millimeter)
	Depth of Table Top±10(mm)	600.0 (millimeter)
	Height of Table Top±10(mm)	750.0 (millimeter)
WARRANTY	Warranty period in number of years	5

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	1	30

Revolving Chair (V4) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

*** As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार**

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Glass filled nylon
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of PU used in seat (kg per cubic meter)	>30<=40
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450<=500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Polyester fabric
BACKREST	Backrest type	Flexi back, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>550
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	1	30

Revolving Chair (V4) (30 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Glass filled nylon
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1.2 - 6.0 Or higher (millimeter)
SEAT	Seat material	Moulded PU

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of PU used in seat (kg per cubic meter)	>30<=40
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450<=500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Polyester fabric
BACKREST	Backrest type	Flexi back, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>30<=40
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	5 Or higher (year)

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	30	30

Modular Extendable Conference Table (20 per seat)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	SELLING UNIT	SELLING UNIT IS PER SEAT. SELLER TO OFFER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.
	Type of Seating Offered	Dual Seating
	Top Fixing	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting
	Number of single seater	N.A
	Number of dual seater	5
	Number of corners for work top	2
	Mode of Supply of modular table	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Material of work top ± 3 mm	25 mm thick prelaminated particle board
	Table top plain side	Edge banded with PVC tape of 2 mm thick with help of hot melt glue

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Gable end and modesty panel ±3 mm	18 Mm Thick Flat Single Layer Prelaminated MDF Board Conforming To Designation PLMDF-23 Of IS:14587/Latest
DIMENSION	Length of Each Seat of Work Top ± 20 mm	1350 mm For dual
	Depth of Work Top ± 20 mm	600 mm
COLOUR & FINISH	Table top finish	Laminate In Colour With matt Finish 0.6-0.8 Mm Thickness Of Type S,F Or P Having Index Number 3.2.3 Conforming To IS:2046/Latest With Having Balancing Laminate Of 0.5 Mm Thick On Other Side
	Colour of top finish	As per buyer's choice
WARANTY	Warranty period in number of years	5
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Product having BIFMA certification	YES

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	20	30

Modular Table (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Table Top material and thickness ±3mm	25mm thickness three layer pre-laminated Particle boards (Wood Product) of grade II Type II of IS 12823 Latest
	Gable end and modesty panel material and thickness	18 mm thickness three layers pre-laminated Particle boards (Wood Product) of grade II Type III of IS 12823 Latest
GENERIC	Mode of Supply of modular table	Knocked Down to be assembled at consignee site by the Seller
	Storage Provided	No Storage
	Number of storage unit	No Storage
DIMENSION	Length of Table Top ±10(mm)	1800.0 (millimeter)
	Depth of Table Top±10(mm)	600.0 (millimeter)
	Height of Table Top±10(mm)	750.0 (millimeter)
WARRANTY	Warranty period in number of years	1

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
18%	1%	Yes	18%	1%	1 (INR) - Per Unit	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Kumar	800023,SPMU ,PFMS, PATNA, 1st Floor, Lalit Bhawan,, Bailly Road,(Near BPSC Office, Patna	1	30

Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

4. **Inspection**

Testing of Sample: The testing of advance sample and bulk sample during PDI will be carried at the designated AHSP labs. When testing facilities are not available, the facilities of Govt labs/NABL/Accredited labs will be utilized. The testing charges outside the designated AHSP labs to be borne by seller's.

5. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

6. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

7. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

01) 5 Year term of warranty on the materials/goods as per company policy. Warranty period of 5 Year/ (One Buyer Added Bid Specific ATC

Year Warranty on all product agents any manufacturing defect and Four years after sale service Free From the date of completion) Warranty term should be mentioned in Central/State Government Furniture work order and copy of same should be enclosed.

02) Lowest bidder shall supply & installed all furniture at site as per direction of Engineer-in charge. If not installed by bidder, then 5% of tender cost of respective item will be deducted.

03) OEM shall be make in India Certified along with factory license.

04) The OEM should be at least one service centre in Bihar state along with toll-free number for furniture service products.

05) Time period to carry out the work is 30 days only

06) Bidder have to submit UDIN generated document like Balance sheet/Turnover Certificate, Working capital Certificate (work done during last five financial year) & wok under hand, Tax

deduction at Source (TDS) certificate for non-Govt. work etc. as per Bid condition duly certified by CA and having UDIN. The document submitted by bidder without UDIN shall not be entertained.

07) The goods/Materials/organization shall be certified ISO-9001, ISO-14001, ISO-50001, ISO-45001, all ISO Certificates should be Issued from NABCB Accelerated Agency, Indian Design Mark certified, Trade Mark Certified, BIFMA LEVEL 1, BIFMA Membership Since last 11 Year or more Continuously. and BIFMA Compliant product base, GREEN GUARD COMPLIANCE, GREEN GUARD BY UL, GREEN PRO, SEDEX should be Issued from SGS India Pvt Ltd., AIOTA, IGBC,(INDOOR ADVANTAGE GOLD, FSC & PEFC) should be Issued from SCS Global Services USA.

08)The Bidder should be an OEM and their Authorized Dealer; no consortium is allowed.

Relevant declaration in the support of this statement must be submitted. The entire project will be done by a single vendor. Single company will be awarded the complete project.

9. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

10. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

11. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

12. **Warranty**

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

13. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

14. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---